

avenlur

Walnut by Avenlur



Need Help?

CALL US AT 888.697.3931 / M-F 9AM - 5PM PT (12PM - -8PM ET)

OR EMAIL US AT INFO@AVENLUR.COM

V3-79

WARNING

Adult assembly required.

WARNING

Maximum user weight: 220 lbs (100kg) per child.

WARNING

CHOKING HAZARD:

Adult assembly required. Keep small assembly parts out of reach of children.

 Use under adult supervision.

OBSERVE ALL STATEMENTS AND WARNINGS TO REDUCE THE LIKELIHOOD OF SERIOUS OR FATAL INJURY. SAVE THIS SHEET FOR FUTURE REFERENCE.

OPERATION INSTRUCTIONS

1. An adult should always supervise use of this product by children of all ages.
2. Maximum weight per user: 220 lbs (100kg)
3. Instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment (examples: ropes, clothesline, pet leashes, cables and chain, etc) as they may cause a strangulation hazard or any other hazard.
4. Never allow children to use the equipment in a manner other than intended.

MAINTENANCE INSTRUCTIONS

1. Inspect the product periodically for loose or damaged components. **Tighten bolts if need.**
2. Check all connections and bolts for tightness at least twice monthly during the usage.
3. Check all coverings and bolts for sharp edges.

INSTALLATION INSTRUCTIONS

Please have an electrical drill available for assembly if possible.

If you have difficulty in installation, please contact us for help and get installation video for reference.

Please Ensure:


1. You are assembling with at least two people to ensure that all sides and parts are leveled.
2. You don't screw the parts in too hard or it will splinter the wood.
3. You follow the directions carefully.

CONTACT US BEFORE ASSEMBLY

If you have assembly questions or if you need parts
whether they are missing or damaged

Call us at 888-697-3931 or email us at

info@Avenlur.com



1 x1 23.3in



2 x6 24.4in



3 x10 26.5in




4 x4 25.4in




6 x2 25.4in




7 x1 39.4in




8 x1 39.4in




9 x1 39.4in



10 x1 39.4in



11 x1 37.4in




5 x1 37.4in



12 x1 39.4in




13 x1 39.4in



14 x1 39.4in



15 x1 39.4in




16 x12 2in




17 x6 29.1in




18 x2 45.3in



19 x1 45.2in



20 x1



21 x1



22 x2



26 x2 51.2in




27 x2 189in



28 x1 322.8in




29 x8




30 x1 23.3in



M6.3x40
A x66



M6x120 M6x20
B x24



M8x100
C x4



M8
D x8



M8
E x8




M10x40
F x8




G x8




M4x40
H x16




M10x35
I x16




M6x80
J x12




M4
K x2



M10
L x1




M8
M x2



M10
N x1

Self-provided tools




Pen



Drill



Studfinder




Measuring tape




Level

01-1


Note: Pay attention to all the black section markers. The manual may refer back to those later




Note: Check all connections and bolts for tightness at least twice monthly during use. Do not use if screws are loose.



The protruding end of the part 2 need to correspond to the hole of part 1 when installed





02-1









02-2

Note: Pay attention to all the black section markers. The manual may refer back to those later




03-1

Note: Insert parts **C** and **F** into the holes. Then attach part **D** through **C**.
 Lastly, screw **E** onto **C**




| | | | | | | | | |
|----------|--------|---|----------|--------|---|----------|----|---|
| C | M8x100 | 4 | E | M8 | 8 | M | M8 | 2 |
| D | M8 | 8 | F | M10x40 | 8 | | | |



04-1




The protruding end of the part ③ need to correspond to the hole of part ⑨ and part ⑩ when installed




05-1



05-2






07-1



Note: Pay attention to all the black section markers. The manual may refer back to those later.

Wrap the vertical rope once around each pass of the horizontal rope





08-1

Note: Pay attention to all the black section markers. The manual may refer back to those later




Note: Make sure the blue seal rim on the nut is facing outward towards you. You may need to twist very hard to secure (and if needed spray WD-40) being that it's meant to be very tight and secure for children to climb on!

08-2




09-1



B M6x120 M6x20 24

09-2




10-1


Front side

09-2



08-1



08-2



09-2




Back side

Note that the positions of Section 08-1 and Section 08-2 climbing rocks must be consistent with the instructions as shown.




11-1






Note: Use a studfinder and mark the wall where the center of the studs are. Studs are typically 16" apart. Measure the distance between your studs to confirm, Mark, level, and predrill holes in the wall to attach parts 17 with screws J




11-2



12-1





25.6in

77.1in



78.8in



65.3in